# CHURAYAN, A.L.

Using bent metal braces in major repairs to walls of brick buildings. Trudy Inst. stroi. dela AN Gruz. SSR 3:151-170 (MLRA 9:10)

(Building--Repair and reconstruction) (Walle)

DZHABUA, Sh.A.; NAPETVARIDZE, Sh.G.; CHURAYAN, A.L.

[Album of details of earthquake-proof construction elements for apartment houses and public buildings] Al'bom detaley seismostoikikh kostruktsiy dlia zhilykh i grazhdanskikh zdanii. Razrabotali: Sh.A. Dzhabua, Sh.G.Napetvaridze, A.L.Churaian. Tbilizi, 1952. 33 p.

(MLRA 9:9)

1. Akademiya nauk Gruminskoy SSR, Tiflis, Institut stroitel'nogo dela.

(Marthquakes and building)

CHURATAN, A.

Some peculiarities of centric structures. Thilisi, Ind-ve Akad. nauk Grusinskoi SSR, 1993. 60, 3 p.

1. Domes. 2. Architecture - Designs and plans.

CHURAYAN, A.; DZHABUA, Sh.; ZAVRIYEV, K.S., professor, redaktor; DZHAPA-HIDZE, N.A., tekhnicheskiy redaktor.

[Some characteristics of axisymmetric buildings] Nekotorye osobennosti tsentricheskikh zdanii. Izd. 2-e. Tbilisi, Izd-vo Akademii nsuk Gruzinskoi SSR, 1954. 58 p. [Microfilm] (MLRA 7:11)

1. Deystvitel'nyy chlen Akademii nauk Gruzinskoy SSR (for Zavriyev) (Structures, Theory of)

CHURAYAN, A.L.; DZHABUA, Sh.A.; MAPETVARIDZE, Sh.G.; LOMADZE, D.R.

Basic principles of designing earthquade-resistant buildings of rigid type. Trudy Inst.stroi.dela AN Gruz.SSR 5:101-111 '55.

(MLRA 9:8)

(Earthquakes and building)

CHURAYAN, A.L.; DZHABUA, Sh.

Foundations of earthquake resistant buildings. Trudy Inst.stroi.dela AN Eruz.SSR 5:113-122 '55. (MERA 9:8) (Foundations) (Marthquakes and building)

CHURAYAN, A.L., kandidat tekhnicheskikh nauk; DZHABUA, Sh.A.

Precast reinferced concrete fleers for antiseismic construction. Bet. i shel.-bet. no.8:282-287 H 155. (MLRA 9:1)

(Fleers, Concrete) (Earthquakes and building)

DZHABUA, Sh.a., inshener; CHURAYAN, A.L., inshener

Precast reinforced concrete antiseismic chords. Stroi. prom.

Precast reinforced concrete antiseismic chords. Stroi. prom. 33 no.7:29-32 Jl '55. (MIRA 8:9)

(Earthquakes and building)

CHURAYAN, A.L., kandidat tekhnicheskikh nauk; DZHABUA, Sh.A., inshener.

Large-sized block foundations and walls for buildings in earthquake areas. Stroi.prom. 33 no.12:26-30 D '55. (MLRA 9:3) (Building blocks) (Marthquakes and building)

BYKHOVSKIY, V.A.; DZHABUA, Sh.A.; DUZINKEVICH, S.Yu.; CHURAYAN, A.L.

New "Standards and regulations for building in seismic regions."

Stroi. prom. 35 no.12:30-33 D '57. (MIRA 11:1)

(Barthquakes and building)

CHUR.	AY AN, A.L.	~ A	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	
	Salleta; P. L.200 of Pable. Se field of Salvana Mar Include	Charten		
	MAGIA  MA	titutos indicados of the build but of the build b		
;	alogia, 19 - Ba. 5) hoson Sectorial Bar F estemilara F	of the expedit of the Courts A.F. Befores of A.F. Befores of Oratical of Orati		
	\$(10) FRACE I DICK ENLATEREDS SOV/954 Abstract Entracted Sov/954 Abstract Entracted Sov/954 Abstract Entracted Sov/954 Sov/954 Abstract Entracted Sov/954 Sov/	of the decorated Labitates AS members of the separation indicated A.E. Ears Institute to of the feature of the	/	ryseley, by de primary and selection
	Hay sould filling. Bry tion's formonously for songer Prigram Berth files prigrated.  Mr. Matraday Mr. S. She booklet is provide and addentia.  S. She booklet is provide and addential.  Mr. Matraday and addential.  Mr. Matraday and addential.  Mr. Matraday and addential.	operation in the first state of	Library of Congress	
	•	Control of the Control of the Control of the Annier of the	##AZZABLE: 12	
			* 8	

### PHASE I BOOK EXPLOITATION

SOV/5233

Duzhabua, Shalva Andreyevich, and A.L. Churayan

Obosnovaniye izmeneniy nekotorykh trebovaniy "Norm i pravil stroitel'stva v seysmicheskikh rayonakh" (Basis for the Change of Certain Requirements for Construction Norms and Specifications in Seismic Regions) Tbilisi, Izd-vo AN Gruzinskoy SSR. 1960. 49 p. 500 copies printed.

Sponsoring Agency: Akademiya nauk Gruzinskoy SSR. Institut stroitel'nogo dela.

Ed.: R.S. Lordkipanidze; Ed. of Publishing House: L.N. Sarkisyan; Tech. Ed.: A.R. Todus.

PURPOSE: This booklet is intended for construction engineers and scientific workers of construction research institutes.

COVERAGE: The booklet contains a number of amendments to the 1957 regulations governing the construction of earthquake-proof buildings in seismic regions of the USSR. The suggestion to make spans monolithic is considered to be especially important. No personalities are mentioned. There are 7 references: 6 Soviet

Card 1/3

CHURAYAN, A.L.; DUZINKEVICH, S.Yu.; DZHABUA, Sh.A.

Methods for sealing joints of precast reinforced concrete ceilings in seismic regions. Prom.stroi. 8 no.7:26-31 (MIRA 13:7)

(Marthquakes and building) (Ceilings)

CHURAYAN, A.L., kand.tekhn.nauk

All-Union conference on lowering construction costs and improving the quality of earthquake proof construction.

Prom. stroi. 38 no. 12:59-60 '60. (MIRA 13:12)

(Bartiquakes and building)

### PHASE I BOOK EXPLOITATION

SOV /5700

- Churayan, Artemiy Luk'yanovich, Candidate of Technical Sciences, and Shalva Andreyevich Dzhabua, Candidate of Technical Sciences.
- Konstruktivnyye skhemy i uzly krupnopanel nykh zdaniy dlya seysmicheskikh rayonov (Construction Designs and Units for Large-Panel Buildings in Seismic Regions)
  Moscow, Gosstroyizdat, 1961. 238 p. 5000 copies printed.
- Ed. (Title page): S.Yu. Duzinkevich, Engineer; Ed. of Publishing House: B.A. Begsk; Tech. Ed.: V.A. Ignat'yev.
- PUMPOSE: This book is intended for engineers and technical and scientific personnel concerned with research and design of large-penel and other buildings for seismic regions.
- CCVERAGE: The authors discuss constructional problems of earthquake-resistant large-psnel frame and frameless buildings. General principles of designing earthquake-resistant structures and data on the effects of earthquakes on brick and reinforced-concrete frame buildings are given. Various constructional designs and methods for jointing structural members in large-panel

Cara -1/4

Construction Designs and Units (Cont.)


SCV/5700

buildings are described. Some of the most satisfactory solutions for designing earthquake-resistant constructions are recommended. Ch. I, "Effects of Earthquakes on Buildings," is stated to be based on experimental and calculation data. A.S. Kalmanok and D.A. Pitlyuk are mentioned as having contributed to this field. There are 93 references: 79 Soviet, 10 English, 2 French, 1 Hungarian, and 1 German.

### TABLE OF CONTENTS:

Foreword	3
Ch. I. Effects of Earthquakes on Buildings	
1. Messive stone buildings	10
Effects of seismic forces acting perpendicularly to the	
plane of a wall	10
Effects of seismic forces acting along the plane of a wall	_
2. Reinforced-concrete frame buildings	59
plane of a wall Effects of seismic forces acting along the plane of a wall	16

Card 2/4



DUZINKEVICH, S,Yu., red.; BYKHOVSKIY, V.A., red.; CHURAYAN, A.L., red.; PETROVA, V.V., red.izd-va; KOMAROVSKAYA, L.A., tekhn. red.

[Construction specifications and regulations] Stroitel'nye normy i pravila. Moskva, Gosstroiizdat. Pt.2. Sec.A. ch.12. [Building in earthquake areas; standards of design] Stroitel'stvo v seismicheskikh raionakh; normy proektirovaniia (SNiP II-A. 12-62). 1963. 48 p. (MIRA 16:9)

1. Russia (1923- U.S.S.R.) Gosudarstvennyy komitet po delam stroitel'stva. 2. TSentral'nyy nauchno-issledovatel'skiy institut stroitel'nykh konstruktsiy Akademii stroitel'stva i arkhitektury SSSR (for Bykhovskiy). 3. Institut stroitel'noy mekhaniki i seysmostoykosti AN Gruz.SSR (for Churayan).

(Farthquakes and building)

CHURAYAN, A.L.; BYKHOVSKIY, V.A.

Calculated seismic resistance of framed single-story industrial buildings. Prom. stroi. 42 no.1:21-22 '65. (MIRA 18:3)

1. Institut stroitel'noy mekhaniki i seysmostoykosti AN GruzSSR (for Churayan). 2. TSentral'nyy nauchno-isaledovatel'skiy institut stroitel'nykh konstruktsiy im. V.A. Kucherenko Gosstroya SSSR (for Bykhovskiy).

CHURAYEV, A.P.

TJ1160.A34

TREASURE ISLAND BOOK REVIEW

AID 853 - S

CHURAYEV, A. P.

SKOROSTNOYE REZANIYE V USLOVIYAKI POTOCHNC-1222 OVOGO PROIZVODSTVA (Speed Metal-Cutting in Mass Production). In Akademiya Nauk SSSR. Peredovoy opyt novatorov mashinostroyeniya (Progressive Experience of Leading Men in the Machine-Building Industry) 1954. Part I: Skorostnyye metody mekhanicheskoy obrabetki metallov (High-Speed Methods in Machining of Metals). p. 53-67.

The author, in collaboration with five other engineers at the Moscow Automobile Plant im. Stalin, reports that during the last six years a great number of machine tools at the plant have been adapted to higher speed operation. A list of various machine groups converted, the problems in conversion and the advantages achieved, and the hard alloys and geometrical parameters of the cutting tools, their design and construction, their characteristics and performance are given. Among several examples of the conversion of machine tools to higher speed operation, the adaptation of the multi-cutting cylinder-grinding machine and the profile facing multi-cutter machine is outlined. All new installations for making parts for the ZIS-150 are of a high-speed type. Eight drawings and 3 tables.

1/1

#### CIA-RDP86-00513R000509120019-4 "APPROVED FOR RELEASE: 06/12/2000

# CHURAYEV, A.I.

USSR/Engineering - Tools

Gard 1/1 Pub. 128 - 9/34

Authors ! Chursey, A. P.

Title ! From the practice of using new types of tool materials

Periodical : Vest. mash. 12, 34-38, Dec 1954

Abstract ! The use of new types of cutting tools and grinding wheels at the Stalin Automobile Factory in Moscow is emphasized, and a description is presented

of cutting tools equipped with mineralo-ceramic cutting edges. Diagrams;

drawings; tables.

Institution :

Submitted

CHURAYEV, Georgiy Pavlovich

[Power of an example] Sila primera. [Kuibyshev] Kuibyshevskoe knizhnoe izd-vo, 1957. 26 p. (MIRA 11:4) (Agricultural laborers)

ZYKOV, B.I., inzh.; NEKRASOV, V.A., inzh.; CHURAYEV, G.P., inzh.

Manufacture of peat litter slabs with a stamping press. Torf. prom. 39 no.7:25-27 '62. (MIRA 16:8)

l. Filial Vsesoyuznogo nauchno-issledovateliskogo instituta torfyanoy promyshlennosti.

(Peat industry-Equipment and supplies)

CHURAYEV, I., kand. sel'skokhoz. nauk

Plant protection in Cuba. Zashch. rast. ot vred. i bol. 10 no.6:
49-50 '65. (MIRA 18:7)

Churayev, I. A.

Amerikanskaya Belaya Babochka. Bil'hyus, Gospolithauchizdat, 1954. 36 S. S III. 20Sm. 8,000 Ekz. 45K. -- Na Litov. Yaz- (55-3034) 632.78

SO. Knizhnaya Letopis', Vol. 7, 1955

Churayev, I. A.

7742 Amerikanskaya Belaya Babochkanovyi Vreditel' Rasteniy, Kishinev, Gosizdat Moldavii, 1955, 47 S. S Ill. 20 Sm. 3.000 Ekz. Bespl.-/55-4210/ P 632.78

USSR/General and Special Zoology - Insects.

Ρ.

Abs Jour

: Ref Zhur - Biol., No 7, 1958, 30551

Author

Churayev, I.A.

Inst

. ...

Title

The Prognosis of the Dates of Appearance of the American

White Butterfly.

Orig Pub

: Zashchita rast. ot vredit. i bolezney, 1957, No 2, 49-61.

Abstract

: According to laboratory experiments, the low temperatures at the beginning of various phases of development were: 90- of the egg, 8.70- of the larvae of the first hatching and of the pupae - 9.50, while the sums of effective temperatures (SET) were equal to 1350, 4200 and 1620. Under natural conditions, the SET calculated at 90 at the beginning of development, differed only slightly from those established in the laboratory. As for the prognosis of the second hatching the author prepared a table of indicators,

which permitted the determination of the start of

Card 1/2

- 15 -

CHURAYEV, I. A. Cand Agr Sci -- (diss) "The white American butterfly

(Hyphantria cumea Drury) and a system of measures for elimination its nidi."

Len, 1958. 19 pp (Min of Agr USSR. Len Agr Inst), 150 copies (KL, 52-58, 105)

494-

CHURAYEV, I.A.

Albanian-Soviet Conference on Plant Quarantine and Protection. Zashch. rast. ot vred. i bol. 3 no.5:60-61 S-0 \$58.

(MIRA 11:10)

(Tirans--Plants, Protection of--Congresses)

CHURAYEV, I.A.

Harmfulness and specialized feeding habits of the fall webworm (Hyphantria cunea Drury). Trudy VIZR no.11:85-101 '58. (MIRA 12:1) (Fall webworm)

- CHURAYEV . I.A.

Problem of controlling potato beetles. Zashch.rast.ot vred.i bol. 4 no.3:43-44 My-Je '59. (MIRA 13:4) (Potato beetle)

CHURATEV, I.A.

Fifteenth Afghan-Soviet Conference. Zashch. rast. ot vred. 1
bol. 5 no.1:62 Ja '60. (MIRA 14:6)
(Flants, Protection of Congresses) (Afghanistan—Flants, Protection of)

CHURAYEV, I.A., kand.sel'skokhoz.nauk

More attention to quarantine. Zashch.rast.ot vred.1 bol. 5 no.7:1-3 J1 \*60. (MIRA 16:1)

1. Zamestitel' nachal'nika Gosudarstvennoy inspektsii po karantinu i zashchite rasteniy Ministerstva sel'skogo khosyaystva SSSR.

(Plant quarantine)

CHURAYEV, I.A.; SHUTOVA, N.N.

Second Korean-Soviet Conference on Plant Quarantine and Protection. Zashch. rast. ot vred. i bol. 6 no.12:48-50 D '61. (MIRA 16:5)

1. Zamestitel' nachal'nika Gosudarstvennoy inspektsii po karantimu i zashchite rasteniy Ministerstva sel'skogo khozyaystva SSSR (for Churayev). 2. Zaveduyushchaya otdelom entomologii TSentral'noy karantinnoy laboratorii (for Shutova).


CHURAYEV, Ivan Alekseyevich, kand.sel'khoz. nauk; SERGEYEV, V.I., red.; PROKOF'YEVA, L.N., tekhn. red. [American fall webworm]Amerikanskaia belaia babochka. Izd.2., ispr. i dop. Moskva, Sel'khozizdat, 1962. 101 p. (NIRA 15:9)


(Fall webworm)

### CHURAYEV, I.A.

Controlling the Colorado beetle. Zashch.rast.ot vred.i bol. 7 no.4251-52 Ap '62. (MIRA 15:12)

l. Zemestitel' nachal'nika Gosudarstvennoy inspektsii po karantimu i mashchite rastemiy Ministerstva sel'akogo khosyaystva SSSR. (White Russia—Potato beetle—Extermination)





NEMOLVIN, N.S.: ISAYEV, D.K.: CHURAYEV, N.V.


Peat Industry


Small capacity pump-cranes for liquid peat, TMC-350. Tekst.prom. 12 No. 9, 1952.

9. Monthly List of Russian Accessions, Library of Congress, December 1953/2 Unclassified.

- 1. CHURAYEV. N.V., ISAYEV, D.K., NEMOLVIN, N.V.
- 2. USSR (600) --
- 4. Peat industry
- 7. Investigating the work of a peat suction crane of a small hydraulic peat machine model TMG-350. Torf.prom. 29 no. 11. 1952

9. Monthly List of Russian Accessions, Library of Congress, February 1953, Uncl.





MINKOV, B.Ya., kand. tekhn. nauk; RODE, L.G., inzh.; SYSOYEV, A.A., inzh.; CHURAYEV, N.V., kand. tekhn. nauk

Transistorized probe type thermometer for the control of milled peat temperature. Torf. prom. 39 no.5:8-9 '62.

(MIRA 16:8)

1. Kalininskiy torfyanoy instatut.

VOLAROVICH, M.P.; GORAVSKIY, M.A. [Horawski, M.]; CHURAYEV, N.V.

Effect of the dispersion medium on filtration in peats. Koll.zhur. 26 no.1:22-27 Ja-F '64. (MIRA 17:4)

l. Kalininskiy torfyanoy institut i Vrotslavskaya shkola sel'skogo khozyaystva, Pol'sha.

15-57-3-4029

Translation from: Referativnyy zhurnal, Geologiya, 1957, Nr 3,

p 212 (USSR)

AUTHORS:

Volarovich, M. P., Churayev. N. V.

TITLE:

A Study of the Dispersion Stage of Peat (Issle dovaniye

stepeni dispersnosti torfa)

PERIODIC AL:

Tr. Mosk. torf. in-ta, 1955, Nr 3, pp 33-58

ABS TRACT:

Card 1/2

A collection of papers is given on the study of the stage of dispersion in peat. The peculiar features of peat suspensions are noted and their behavior during sedimentational analysis, showing polydispersion, anomalies of density, and tendency to orthokinetic coagulation. A variety of sedimentation meter, applicable to peat suspensions, was made by N. A. Figurovskiy. The authors present equations made from the results of using this sedimentation meter. Curves are also presented to show the distribution of particles, according to size, for peats of different stages of reworking and different stages of decomposition. The

A Study of the Dispersion Stage of Peat (Cont.)

15-57-3-4029

results of electron-microscopic studies of the highly dispersed part of the peat are described.


Card 2/2


D. A. To


D. A. Ts.

CHURAYEV, N.V.

Answer to the letter of I.Z.Margolin. Koll.zhur.17 no.1:77 Ja-F 155. (Peat—Analysis) (Margolin, I.Z.) (MIRA 8:3)







CHURAYEV, H. V., and VOLAROVICH, M. P.

"Study of the Degree of Dispersion of Peats and the Structure of Mheir Parts by Means of a Sedimentometer and Electron Microscope" (Issledovaniya stepeni dispersnosti torfov i struktury ikh chastits metodami sedimentometra i elektronnogo mikroskopa) from the book Trudy of the Third All-Union Conference on Colloid Chemistry, pp. 258-275

(Report given at above Conference, Minsk, 21-4 Dec 53)

Kauthors! Moscow Peat Insitute, Chair of Physics

CHURAYEV, H. V.

CHURAYEV, N. V.- "Application of the Sedimentometric and Electronmicroscopic Analysis Methods for the Study of the Degree of the Dispersion of Peat and of the Processes Involved in its Variation." Min of Higher Education USSR, Moscow Peat Inst, Moscow, 1955 (Dissertations for Degree of Candidate of Technical Sciences)

S0: Knizhnaya Letopis' No. 26, June 1955, Moscow

L. Kornak Dal Rotor Des	arodnom arodnom arodnom arodnom arodnom arodnom arodnom arodnom arodnom aronnom aronno
12. VELLEVATOR AT THE CONTROL OF THE CASE AND SELECTION AND TREE OF THE CONDITION AND THE CONDITIONS WITH THE CONDITIONS WITH THE UNION AT THE CONDITION AND THE CONDITIONS WITH THE CONDITION AND THE CONDITIONS OF THE CONDITION OF THE CONDITION AND THE CONDITION AN	and Field Invest-

CHURAYEV, N.V. (Moskva)

Fi'tration of structurized fluids through heteroporous bodies. Izv.AN SSSR. Mekh.i mashinostr. no.1:136-140 Ja-F '64.

(MIRA 17:4)

APPROVED FOR RELEASE: 06/12/2000 CIA-RDP86-00513R000509120019-4"

A French

CHURAGEV N.V., VOLAROVICH, M.P.; KUZHNAN, G.I.; MAKOV, I.F.; CHURAYEV, N.V. (Moskva).

Using radioactive isotopes in studying the peat mixing process in machines. Ixv. AN SSER. Otd. tekh. nauk no.12:87-89 D '57.

(MIRA 11:1)

1. Kafedra fiziki Moskovskogo torfyanogo instituta. (Radioactive substances -- Industrial applications) (Peat industry)

CHURAYEV, N.V.

124-11-12932

Translation from: Referativnyy Zhurnal, Mekhanika, 1957, Nr 11, p 94 (USSR)

AUTHORS: Volarovich, M. P., Churayev, N. V., Minkov, B. Ya.

TITLE: Investigation of the Hydraulic Characteristics of Peat With the Aid of

Radioactive Isotopes. (Issledovaniye vodnykh svoistv torfa pri

pomoshchi radioaktivnykh izotopov)

PERIODICAL: Kolloidn. zh. 1957, Vol 19, Nr 2, pp 159-166

ABSTRACT: Bibliographic entry.

maskovskig terfyanog institut, Kafedra fiziki.

Card 1/1

CHURAYEV, AV

20-5-13/60

AUTHOR TÎTLE VOLAROVICH, M.P., CHURAYEV, H.V., MINKOV, B.Ya.

Percolation of Water in Peat, Studied by Means of Radioactive Isotopes. (Issledovaniye proteessa filtratsii vody v torfe s percoshch yu radio-

aktivnykh izotopov - Russian)

PERIODICAL

Doklady Akad. Nauk SSSR, 1957, Vol 114, Nr 5,pp 964-967 (U.S.S.R.)

ABSTRACT

The author above all solved the problem of selecting a suitable "marking" of the water, the motion of which is to be investigated in the peat sample. After a number of experiments it was found that marking by means of radioactive S35(an aqueous solution of Na2S\*04) is the most favorable. The percolation of the marked water was investigated through peat samples with undestroyed structure. The peat sample out out from the place where it was found was placed into a glass tube and saturated with distilled water until a constant weight was attained. Marked water was then pouted into the tube on top of the peat, and a constant level was meintained. The filtrate was then poured into test glasses, on which occasion the time needed by the filtrate to accumulate was noted down. The activity of the percolated samples was measured by means of an end window counter. The resultes obtained by these experiments with fiskum peat having the degree of decomposition R = 10% are shown in form of a diagram. The same diagram shows the dependence of the volume V of the not percolated liquid on the duration of the percolation process. This dependence is nearly linear, which tends to indicate that the percolation coefficient is constant during the experiment. The analysis of

Card 1/2

20-5-13/60

Percolation of Water in Peat, Studied by Means of Radio-active Isotopes.

the curve found indicates the following mechanism of the percolation: The water moving through the pores of the peat presses out the free water (gravitation water) contained in it. First the free water is pressed out from the large pores, after which it is pressed out successively from the smaller pores, until eventually the marked water fills up all passages in the peat through which the water is conducted. The activity of the percolator then is and remains equal to the activity of the marked water. By means of the method suggested here it is possible, together with the method of negative adsorption, to bring about a more exact separation of the types of the water contained in the peat. (2 illustrations).


ASSOCIATION Mosocw Peat Institute.

PRESENTED BY REBINDER I.A., Member of the Academy

SUBMITTED

5.1.1957

AVAILABLE Library of Congress. Card 2/2



CHURAYEV, N.V.

AUTHORS: Volarovich, M.P., Kuzhman, G. I., Makov, I.F. and

Churayev, N. V. (Moscow).

TITLE: Use of radioactive isotopes for studying the process of mixing of peat in machines. (Primeneniye radioaktivnykh izotopov dlya izucheniya protsessa peremeshivaniya torfa

v mashinakh).

PERIODICAL: Izvestiya Akademii Nauk SSSR, Otdeleniye Tekhnicheskikh Nauk, 1957, No.12, pp.87-89 (USSR)

ABSTRACT: The change in the degree of dispersion of peat during its processing can be established by means of sedimentary analysis, as described by some of the authors of this paper in earlier work (Ref.1). The process of mixing of the peat during its processing, i.e. the redistribution of the particles in the peat volume, leading to a uniformity of the structure of the peat has so far not been studied at all. Therefore, the authors considered it of interest to use for this purpose radioactive P<sup>22</sup> in an aqueous solution of Na<sub>2</sub>HP O<sub>4</sub>, since the authors found in earlier work (Ref.2) that this substance adheres

strongly to the peat particles. Specimens weighing Card 1/2 10 to 30 g were selected from the peat and this solution

Use of radioactive isotopes for studying the process of mixing of peat in machines.

was added in a quantity such as to obtain a radioactivity of 10 to 20µ Curie; the peat was thoroughly mixed with the solution and was then made into a ball of 3 to 4 cm dia. The obtained results are plotted in graphs and discussed. Comparison of results of dispersion analysis with the data obtained for the intermixing leads to the conclusion that slot presses intermix satisfactorily the peat but do not disperse it satisfactorily, whilst milling with an end-mill brings about intensive dispersion but little intermixing. A number of recommendations are made for improving the design of machinery for peat production.

There are 3 figures and 4 references, all of which are Slavic.


SUBMITTED: July 19, 1957.

ASSOCIATION: Physics Chair, Moscow Peat Institute. (Kafedra Fiziki

Moskovskogo Torfyanogo Instituta).

AVAILABLE: Library of Congress.

Card 2/2



VOLAROVICH, M.P., prof.; KUZHMAN, G.I., dotsent; MAKOV, I.F., inzh.; CHURAYEV, N.V., kand.tekhn.nauk

Studying processes of peat mixing by the peat processing machinery using radioactive isotopes. Nauch. dokl. vys. shkoly; gor. dele no.1:275-285 '58. (MIRA 11:6)

1. Predstavlena kafedroy fiziki Moskovskogo torfyanogo instituta. (Peat machinery) (Radioisotopes)

CHURAYEV, N.V.

69-20-1-19/20

AUTHORS:

Volarovich, M.P.; Sysoyeva, F.D.; Chernyavskaya, V.V.,

Churayev, N.V.

TITLE:

Determination of the Bound Water Content in Peat by the Method of the Negative Adsorption of a Radioactive Indicator (Opredeleniye soderzhaniya svyazannoy vody v torfe metodom otritsatel'noy adsorptsii radioaktivnogo indikatora)

PERIODICAL: Kolloidnyy Zhurnal, 1958, Vol XX, # 1, pp 122-124 (USSR)

ABSTRACT:

Radioactive sulfur S35, in the compound Na S04, is used for determining the content of bound water in peat specimens. The natural humidity of the specimens is increased to 95% by addition of distilled water. Then 20 g of (Mo) solution of Na<sub>2</sub>S<sup>5</sup>O<sub>4</sub> is added, and the mixture stirred. After 15 min the mixture is centrifugalized and the initial and final concentration of the radioactive indicator is measured. A formula for calculating the amount of bound water in the specimen is given.

There is 1 table, and 3 Soviet references.

ASSOCIATION: Moskovskiy torfyanoy institut Kafedra fiziki (Moscow Peat

Card 1/2 Institute, Chair of Physics)

69-20-1-19/20

Determination of the Bound Water Content in Peat by the Method of the Negative Adsorption of a Radioactive Indicator

SUBMITTED: October 16, 1957

AVAILABLE: Library of Comgress

Card 2/2

CHURAYEV, N.V., kand. tekhn. nauk

Using radioactive indicators to study the effect of a drainage system. Nauch. dokl. vys. shkely; gor. dele no.1:21-25 '59. (MIRA 12:5)

1. Predstavlena kafedrey fisiki Kalininskogo torfyanego (b. Meskovsk.) instituta.

(Drainage) (Radicactive tracers)

VOLAROVICH, M.P., prof., dektor fiz.-mat.nauk; MINKOV, B.Ya., inzh.; CHURAYEV, N.V., kand. tekhn. nauk

Investigating the efficiency of apparatuses for determination of peat weight by volume by means of gamma-ray scattering. Nauch. dokl. vys. shkoly; gor. dele no.1:75-82 '59. (MIRA 12:5)

l.Predstavlena kafedroy fiziki Moskovskogo torfyanogo instituta. (Peat--Testing) (Gamma rays)

VOLAROVICH, M. P. and CHURAYEV, M. V.

"The Investigation of the Physico-chemical Properties and the Structure of Peat, With the Aid of Radioactive Isotopes."

report presented at the Section on Colloid Chemistry, VIII Mendeleyev Conference of General and Applied Chemistry, Moscow, 16-23 March 1959. (Koll. Zhur. v. 21, No. 4, pp. 509-511)

5(

SOV/69-21-2-6/22

AUTHORS:

Volarovich, M.P., Churayev, N.V.

TITLE:

A Study of the Aqueous Qualities and Structure of Peat with the Aid of Radioactive Isotopes. (Izucheniye vodnykh svoystv i struktury torfa pri pomoshchi radioaktivnykh izotopov.) 1. Aqueous Qualities and Structure of Peat. (1. Vodnyye

svoystva i struktura torfa)

PERIODICAL:

Kolloidnyy zhurnal, 1959, Nr 2, pp 157-163 (USSR)

ABSTRACT:

The authors report on methods developed or used by them to determine the various forms of linked water in peat. The methods are based on the use of radioactive isotopes. For their experiments, the authors used the isotope sulphur-35 in the compcund Na<sub>2</sub>SO<sub>4</sub>, which is not absorbed by peat in its solid phase. The comparison of the results of the determination of linked water in various peat specimens, which with the aid of the radioactive indicator were obtained by the use of the non-dissolving reagent and marked water filtration methods, permitted the evaluation of the

Card 1/3

different forms of linked water, and even the establishment

SOV/69-21-2-6/22

A Study of the Aqueous Qualities and Structure of Peat with the Aid of Radioactive Isotopes. 1. Aqueous Qualities and Structure of Peat.

of such linkage categories as intercellular, structurally linked and capillary peat water. The experiments have shown that most of the linked water belongs to the capillary and intercellular categories. The content of the various forms of linked water depends on the botanical composition and the degree of decomposition of the peat. The method of filtering marked water through a peat specimen permits the determination of the active porosity, the kinetic specific surface and the hydraulic radius of the pores of the peat. This data can be utilized as characteristics of the pat structure. The following scientists are mentioned in the article: A.V. Dumanskiy, Rebinder, S.S. Korchunov, M.P. Volarovich, Gusev, P.A. Kryukov, N.A. Komarova, G.I. Pokrovskiy, S.I. Sinel'shchikov, K.K. Apush-

Card 2/3

SOV/69-21-2-6/22

A Study of the Aqueous Qualities and Structure of Peat with the Aid of Radioactive Isotopes. 1. Aqueous Qualities and Structure of Peat.

> kin, A.A. Berezin, A.A. Grebenshchikov. There are 3 tables and 29 Soviet references.

Moskovskiy torfyanoy institut (Moscow Peat Institute) Kafedra fiziki (Chair of Physics) ASSOCIATION:

SUBMITTED: May 29, 1958

Card 3/3

5(4)

SOV/69-21-3-2/25

AUTHORS:

Volarovich, M.P., Gamayunov, N.I., Starikova, Z.A.,

Churayev, N.V.

TITLE:

A Study of the Aquatic Properties and the Structure of Peat With the Aid of Radioactive Isotopes - 2. Changes in the Aquatic and Structural Properties of Peat, when

Dispersed or Pressed

PERIODICAL:

Kolloidnyy zhurnal, 1959, Vol XXI, Nr 3, pp 257-262

(USSR)

ABSTRACT:

The authors describe an experiment carried out with the aid of a radiotracer (Na<sub>2</sub>SO<sub>4</sub> with isotope S<sup>35</sup>) to determine the change in the aquatic properties and the structure of samples of dispersed and compressed peat of different processing stages. The used methods allowed measuring of the total water content of the samples, i.e. the measurings included the water within

Card 1/3

the cellular cavities of the plant residues, which constitute a considerable part of the peat.

A Study of the Aquatic Properties and the Structure of Peat With the Aid of Radioactive Isotopes-2Change in the Aquatic and Structural Properties of Peat, when Dispersed or Pressed

observed that dispersing and compressing of the samples resulted in a diminution of their water content, due to the partial liberation of intracellular water and its passing into the free liquid. This was accompanied by destruction and deformation of the plant residues, which in its turn caused an increase in the active porosity of the peat, particularly in its disperse phase. It was further observed, that during dispersion and compression the kinetic specific surface of the peat considerably increases, whereas the diameter of the pores which determine the internal water transport, is reduced. The pressure needed to make a great part of intercellular liquid pass into free water does not exceed 1 kg/cm<sup>2</sup>. It results therefrom, that this kind of water linkage in peat is energetically very weak. The methods developed by the authors permit their being used also for technological processes, which are con-

Card 2/3

A Study of the Aquatic Properties and the Structure of Peat With the Aid of Radioactive Isotopes-2. Change in the Aquatic and Structu-SOV/69-21-3-2/25 ral Properties of Peat, when Dispersed or Pressed

> nected with the change in aquatic properties and the structure of peat. The following Soviet scientists (all covered by references) are mentioned in the article: A.A. Berezin, I.D. Belovidov, I.M. Litvinov and M.G. Bulynko. There are 3 graphs, 2 tables and 17 Soviet references.

ASSOCIATION: Moskovskiy torfyanoy institut, Kafedra fiziki

(Moscow Peat Institute, Chair of Physics)

SUBMITTED: 19 June 1958

Card 3/3

VOLAROVICH, Mikhail Pavlovich; CHURAYEV, Nikoley Vladimirovich; PETRENKO, I.G., otv.red.; MEDER, V.M., red.izd-va; YEPIFANOVA, L.V., tekhn.red.

[Study of the properties of peat and of processes occurring in it by means of radioisotopes] Issledovania svoistv torfa i protekaiushchikh v nem protsessov pri pomoshchi radio-aktivnykh izotopov. Moskva, Izd-vo Akad.nauk SSSR, 1960.

195 p. (MIRA 14:2)
(Peat) (Radioisotopes-Industrial applications)

#### "APPROVED FOR RELEASE: 06/12/2000 CIA-RDP86-00513R000509120019-4

11.

- CHURAYEY, N.V.

LATY STIEV ( ).

PHASE I BOOK EXPLOITATION SOV/5410

Tashkentskaya konferentsiya po mirasam ispol'zovaniyu atomnoy energii, Tashkent, 1959.

Trady (Transactions of the Tashkent Conference on the Peaceful Uses of Atomic Energy) v. 2. Tashkent, Ind-ve ad Union, 1960.

Spensoring Agency: Akademiya nauk Uzbekskoy SSR.

Responsible Ed.: S. V. Starodubtsev, Academician, Academy of Sciences Uzbek SSR. Editorial Board: A. A. Abdullayev, Candidate of Physics and Mathematics; D. M. Abdursaulov, Bostor of Medical Sciences; U. A. Arifov, Academician, Academy of Sciences Uzbek SSR; A. A. Borodukina, Candidate of Biological Sciences; V. N. Ivashev; G. S. Ikramova; A. Ye. Kiv; Ye. H. Lohnov, Candidate of Physics and Mathematics; A. I. Nikolayev, Candidate of Medical Sciences; D. Nishanov, Candidate of Cherical Sciences; A. S. Sadykov, Corresponding Member, Academy of Sciences USSR, Abademician, Academy of Sciences Uzbek SSR; Yu. N. Talemin

Ca: 1/20

Transactions of the Tashkent (Cont.)

SOV/5410

Candidate of Physics and Mathematics; Ya. Kh. Turakulov, Doctor of Biological Sciences. Ed.: R. I. Khamidov; Tech. Ed.: A. G. Babakhanova.

PURIOSE: The publication is intended for scientific workers and specialists employed in enterprises where radicactive isotopes and nuclear radiation are used for research in chemical, geological, and technological fields.

COVERAGE: This collection of 133 articles represents the second volume of the Transactions of the Tashkent Conference on the Feareful Uses of Atomic Energy. The individual articles deal with a wide range of problems in the field of nuclear radiation, including: production and chemical analysis of radicaltive isotopes; inventigation of the kinetics of chemical reactions by means of isotopes; application of spectral analysis for the manufacturing of radioactive preparations; radioactive methods for determining the content of elements in the rocks; and an analysis of methods for obtaining pure substances. Certain

Card 2/20

#### Transactions of the Tashkent (Cont.)

SOV/5410

instruments used, such as automatic regulators, florameters, level gauges, and high-sensitivity gamma-relays, are described. No personalities are mentioned. References follow individual articles.

TABLE OF CONTENTS:

# RADIOACTIVE ISOTOPES AND NUCLEAR RADIATION IN ENGINEERING AND GEOLOGY

Lobanov, Ye. M. [Institut yadernoy fiziki UzSSR - Institute of Nuclear Physics AS UzSSR]. Application of Radioactive Isotopes and Nuclear Radiation in Uzbokistan

Taksar, I. M., and V. A. Yanushkovskiy [Institut fiziki AN Latv SSR - Institute of Physics AS Latvian SSR]. Problems of the Typification of Automatic-Control Apparatus Based on the Use of Radioactive Isotopes

9

Card 3/20

# "APPROVED FOR RELEASE: 06/12/2000 CIA-RDP86-00513R000509120019-4

•		/
٠.	Transactions of the Tashkent (Cont.) SOV/5410	
	Uklonskiy, A. S. [Institut geologii AN UzSSR - Institute of Geology AS UzSSR]. Geochemical Significance of Isobars and Isotones of Stable Isotopes	226
	Volarovich, M. P., and N. V. Churayev. [Moskovskiy torfyanoy institut - Moscow Peat Institute]. Application of the Nethod of Eadioactive Indicators in Studying the Problem of Water Movement in Peat Deposits During Drainage	230
	Churayev. N. V. [Moscow Peat Institute]. Investigation of Water Properties, Structure, and Processes of Moisture Transfer in Peat Using Tracer Atoms	243
	Iobanov, Ye. M., N. S. Matveyev, B. Ye. Krilov, and R. I. Gladysheva [Institute of Nuclear Physics AS Uzbek SSR]. Portable Radioactive Density Indicators	254
	Pavlovskiy, B. F., B. S. Maritov, and B. B. Akabirov [Institute of Nuclear Physics AS UZSSR]. Roentgenosterescopic Unit Card 12/20	258

<u> </u>	δ.
ransactions of the Tashkent (Cont.) SOV/5410	
elearch Institute for the Mechanization of Agriculture]. Use f the Method of Neutron Activation Analysis for Investigating for Soule Formation and Wear of Parts in Tractor Motors	299
inkey, B. Ya., and N. V. Churayev [Moscow Peat Institute]. chication of Radicactive Radiation for Quick Determination of at Weight and Moisture Under Field Conditions	r 303
RADIOACTIVE ISOTOPES AND NUCLEAR RADIATION IN CHERESTRY	
Midenko, N. P. [Nauchno-issledovatel'skiy institut yadernoy firiki MIJ - Scientific Research Institute of Nuclear Physics, Procest State University]. Obtaining Pure Radioactive Isotopes Without Carriers	317
Shvedov, V. P., K. A. Petrzhak, R. V. Sedletskiy, and A. V. Shvedov, V. P., K. A. Petrzhak, R. V. Sedletskiy, and A. V. Stepanov [Leningradskiy tekhnologicheskiy institut im. Lensov. Leningrad Technological Institute imeni Lensovet]. Separat: Leningrad Technological Institute imeni Lensovet]. Separat: Of the Rare-Earth Group Fragments in U <sup>237</sup> Photofission by the Mathol of Continuous Electrophoresis	eta 10n 325
Gard 15/20	

VOLAROVICH, M.P.; GAMAYUNOV, N.I.; CHURAYEV, N.V.

Study of thermomoisture conductivity in peat. Koll. zhur. 22 no. 5:535-542 S-0 '60. (MIRA 13:10)

1. Kalininskiy torfyanoy institut. (Peat)

### "APPROVED FOR RELEASE: 06/12/2000 CIA-RDP86-00513R000509120019-4

VVOLAROVICH, M.P.; LISHTVAN, I.I.; CHURAYEV, N.V.

Humous sols from peat. Part 1: Structural and mechanical properties and their changes with the addition of electrolytes. Koll zhur. 22 no. 5:546-552 S-0 '60. (MIRA 13:10)

1. Kalininskiy torfyanoy institut.
(Peat) (Colloids)

VOLAROVICH, M.P.; MUKHINA, T.S.; TROPIN, V.P.; CHURAYEV, N.V.

Electron microscopy of peat and its components. Koll. zhur. 22 no. 5:553-556 S-0 160. (MIRA 13:10)

1. Kalininskiy torfyanoy institut. (Peat)

CHURAYEV, N.V.

Use of radioactive isotopes in the study of moisture transport processes in peat. Koll. zhur. 22 no. 5:631-638 5-0 '60.

(MIRA 13:10)

1. Kalininskiy torfyanoy institut.
(Peat) (Badioactive tracers)

BELIKOV, M.P.; YEMEL'YANOV, V.A.; NESTEROV, V.Ye.; CHURAYEV, N.V., kand. tekhn. nauk, nauchnyy red.; SAFONOV, P.V., red.izd-va; GOL'BERG, T.M., tekhn. red.

[Using radioisotopes in hydraulic engineering] Primenenie radio-aktivnykh izotopov v gidrotekhnicheskom stroitel'stve. Moskva, Gos. izd-vo lit-ry po stroit., arkhit. i stroit. materialam, 1961. 162 p. (MIRA 14:9)

(Radioisotopes-Industrial applications)

10.9020

S/170/61/004/006/010/015 B129/B212

AUTHORS:

Churayev, N. V., Gamayunov, N. I.

TITLE:

Study of the structure of porous media by radioactive in-

dicators

PERIODICAL:

Inzhenerno-fizicheskiy zhurnal, v. 4, no. 6, 1961, 106-111

TEXT: Exact and approximate solutions of the differential equations for convective diffusion, which describe the filtration of pure water through pores, are obtained by the authors. A radioactive indicator is added to the water. The theoretical results are compared with the experimental ones. For the study of moisture transfer in disperse materials it is very important to obtain their structural characteristics. It has been suggested to picture the motion of the liquid in porous materials like the process of convective diffusion. The structure of the materials is characterized by the size of the convective diffusion coefficients; it is assumed that diffusion takes place because of the difference in dimensions and the arrangement of the pores. The experimental analysis of convective

Card 1/3

Study of the structure of ...

S/170/61/004/006/010/015 B129/B212

diffusion in porous materials can be done with radioactive indicators. The water is filtrated through the test material under constant pressure. A radioactive indicator solution (Na $_2$ SO $_4$  with S $_2$ SO $_5$ , NaI with I $_2$ I etc) is

poured on top of the water. Single small samples are taken from the filtrate. The concentration of the indicator is determined by radiometric methods. Exact approximate solutions of the differential equation for the convective diffusion are obtained. Experiments with the filtration of a solution of a radioactive indicator show that only for isotropic materials the experimental data will agree with the theoretical ones. The structure of isotropic materials (for example, sand with a grain size of J.1-0.25 mm) can be characterized by the convective diffusion coefficient and the average dimensions of the pores. The size distribution of the pores corresponds to the Gaussian distribution. For non-isotropic materials (e.g. peat) the equation of convective diffusion is not applicable since the size distribution of the pores is not Gaussian. There are 2 figures and 7 references: 6 Soviet-bloc and 1 non-Soviet-bloc.

Card 2/3

S/170/61/004/006/010/015 B129/B212

ASSOCIATION: Kalininskiy torfyanoy institut, Moskva (Kalinin Peat Institute of Moscow)

SUBMITTED: August 5, 1960

Study of the structure of ...

Card 3/3

CHURAYEV, N. V., GAMAYUNOV, N. I., and VOLAROVICH, M. P.

"Investigation of Heat and Mass Transfer in Peat by Radioactive Indicators."  $\hfill \hfill \hfill$ 

Report submitted for the Conference on Heat and Mass Transfer, Minsk, BSSR, June 1961.

CHURAYEV, N.V.

PHASE I BOOK EXPLOITATION

SOV/5590

Konferentsiya po poverkhnostnym silam. Moscow, 1960.

Issledovaniya v oblasti poverkhnostnykh sil; sbornik dokladov na konforentsii po poverkhnostnym silam, aprel 1960 g. (Studies in the Field of Surface Forces; Collection of Reports of the Conforence on Surface Forces, Held in April 1960) Moscow, Izdvo AN SSSR, 1961. 231 p. Errata printed on the inside of back cover. 2500 copies printed.

Sponsoring Agency: Institut fizicheskoy khimii Akademii nauk SSSR.

Resp. Ed.: B. V. Deryagin, Corresponding Member, Academy of Sciences USSR; Editorial Board: N. N. Zakhavayeva, N. A. Krotova, M. M. Kusakov, S. V. Nerpin, P. S. Prokhorov, M. V. Talayev and G. I. Fuks; Ed. of Publishing House: A. L. Bankvitser; Tech. Ed.: Yu. V. Rylina.

PURPOSE: This book is intended for physical chemists.

Card 1/8

#### "APPROVED FOR RELEASE: 06/12/2000

#### CIA-RDP86-00513R000509120019-4

42

Studies in the Field of Surface Forces (Cont.)

SOV/5590

COVERAGE: This is a collection of 25 articles in physical chemistry on problems of surface phenomena investigated at or in association with the Laboratory of Surface Phenomena of the Institute of Physical Chemistry of the Academy of Sciences USSR. The first article provides a detailed chronological account of the Laboratory's work from the day of its establishment in 1935 to the present time. The remaining articles discuss general surface force problems, polymer adhesion, surface forces in thin liquid layers, surface phenomena in dispersed systems, and surface forces in aerosols. Names of scientists who have been or are now associated with the Laboratory of Surface Phenomena are listed with references to their past and present associations. Each article is accompanied by references.

TABLE OF CONTENTS:

Zakhavayeva, N. N. Twenty-Five Years of the Laboratory of Surface Phenomena of the IFKhAN SSSR (Institute of Physical Chemistry of the Academy of Sciences USSR)

Card 2/8

3

# "APPROVED FOR RELEASE: 06/12/2000 CIA-RDP86-00513R000509120019-4

				42
Studies in the Field of	f Surface Forces	(Cont.)	SOV/5590	
Adhesion Process in Pl	atinum Threads	:		143
IV. SURF	ACE PHENOMENA IN	DISPERSION SYST	EMS	
Volarovich, M. P., and Processes of Moisture Isotope Nathod	I. <u>N. Y. Churaye</u> v. Movement in Peat	Investigation By the Radioact	of ive-	149
Nerpin, S. V., and B. Soil Mechanics	V. Deryagin. Su	rface Phenomena	in	156
Glazman, Yu. M. Theor Sols By Means of Elec	ry of the Coagula trolyte Mixtures	tion of Lyophob	Lc	166
Deryagin, B. V., N. N. Investigating the Fil High-Dispersion Powder	tration of Electi	nd A. M. Lopating rolyte Solutions	in	175
Kudryavtseva, N. M., Slow Coagulation of H	and B. V. Deryagi ydrosols With a l	in. Investigati: Flow Ultramicros	ng the cope	183
Card 6/8	•			
	:. · i .	,		

CHURAYEV, N. V., Dr. Tech. Sci. (diss) "Water Properties, Structure, and Processes of Exchange of Moisture in Peat,"

Moscow-Kalinin, 1961, 46 pp (Kalinin Peat Inst.) 200 copies

(KL Supp 12-61, 261).

VOLAROVICH, M.P.; LISHTVAN, I.I.; CHURAYEV, N.V.

Comparative study of mechanical and chemical methods changing peat dispersity [with summary in English]. Koll.zhur. 23 no.4z. 399-403 Jl-Ag '61. (MIRA 14:8)

1. Kalininskiy torfyanoy institut.
(Peat) (Sedimentation analysis)

VOLAROVICH, M.P.; IL'IN, N.I.; CHURAYEV, N.V.

Radioactive-tracer techniques used in determining the water flow rate in porous media. Koll.zhur. 23 no.5:524-527 S-0 (MIRA 14:9)

1. Kalininskiy torfyanoy institut. (Hydraulics) (Porous materials)

CHURAYEV, N.V., kand. tekhn.nauk

Physical chemistry of peat. Torf. prom. 38 no. 3:8-11 161. (MIRA 14:4)

1. Kalininskiy torfyanoy institut. (Peat)

VOLAROVICH, M.P., doktor fiz. matem.nauk, prof.; IL'IN, N.I., inzh.; CHURAYEV, N.V., kand.tekhn.nauk, dotsent

Processes of water movement in draining upper deposits. Torf. prom. 38 no.7:9-13 '61. (MIRA 14:12)

CHURAYEV, N.V., kand.tekhn.nauk

-

Macrostructure of peat deposits and its effect on drainage. Torf. prom. 38 no.8:20-23 '61. (MIRA 14:12)

1. Kalininskiy torfyanoy institut.
(Peat bogs-Drying)

IL'IN, N.I., inzh.; CHURAYEV, N.V., kand.tekhn.nauk

Possibilities for applying the method of observation pits in studying peat layers. Torf. prom. 38 no.5:18-21 '61. (MIRA 14:10)

1. Kalininskiy torfyanoy institut.
(Peat)

(Radioisotopes—Industrial applications)

CHURAYEV, N.V.; IL'IN, N.I.

Effect of structure on the movement of water in capillary-porous bodies. Inzh. fiz. zhur. 4 no.11:44-50 N 161.

(MIRA 14:10)

1. Kalininskiy torfyanoy institut, g. Moskva. (Hydrodynamics)